

Printing date 22.01.2019

Revision: 22.01.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: FANFARO 6721 VSN 5W-40
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Lubricant
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: During normal opening times: +370/615 313 68

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

	Dangerous compone	nts:	
	CAS: 93819-94-4 EINECS: 298-577-9	Cinko bis (O-(6-metilheptil)) bis(O-(Izobutil))bis(ditiofosfatas) C12H27O2PS2.1/2Zn	1.2–2.4%
		Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 4, H413	
1			Contd. on page 2)

GB



Printing date 22.01.2019

Revision: 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

		Contd. of page 1)
CAS: 36878-20-3	bis(nonilfenil)aminas C30H47N	0.6–1.2%
EINECS: 253-249-4	Aquatic Chronic 4, H413	
CAS: 68784-26-9 EINECS: 272-234-3	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	0.12–0.3%
	Repr. 1B, H360; Aquatic Chronic 4, H413	
CAS: 121158-58-5	phenol, dodecyl-, branched	0.04–0.12%
EC number: 310-154-3	Repr. 1B, H360F; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- Wear protective clothing.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

(Contd. of page 2)

Revision: 22.01.2019

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

GB (Contd. on page 4)



Printing date 22.01.2019

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

(Contd. of page 3)

9.1 Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid Valley, brown
Colour: Odour:	Yellow-brown Specific type
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: >350 °C
Flash point:	>220 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.85 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	>70 mm²/s
Solvent content:	
VOC (EC)	0.00 %

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

GB



Printing date 22.01.2019

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

(Contd. of page 4)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide
- Aldehyde
- Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- \cdot Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

GB



Printing date 22.01.2019

Revision: 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 10 Toxic for reproduction

HP 14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Printing date 22.01.2019

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 22.01.2019

Trade name: FANFARO 6721 VSN 5W-40

				(Contd. of	bage
Releva	int phrases				
	Causes severe skin bu	rns and eve damage			
	Causes skin irritation.	ine and eye damage.			
	Causes serious eye da	maga			
	Causes serious eye irr				
	May damage fertility or	the unborn child.			
	May damage fertility.				
	Very toxic to aquatic lif				
H410	Very toxic to aquatic lif	e with long lasting effect	ts.		
H413	May cause long lasting	harmful effects to aqua	atic life.		
	, ,	·			
Depart	ment issuing SDS: Pr	oduct safety departmer	it.		
Contac	ct: Mrs. Zubaite				
Abbrev	viations and acronym	s:			
			ndereuses par Route	(European Agreement concern	na
Internatio	onal Carriage of Dangerous (boods by Road)	igeredeee par riedte	(European Agreement concern	9
	ternational Maritime Code for				
	ternational Air Transport Ass				
GHS: GI	obally Harmonised System c	Classification and Labelling	of Chemicals		
EINECS	: European Inventory of Exis	ing Commercial Chemical S	ubstances		
ELINCS:	European List of Notified Cl	emical Substances			
	emical Abstracts Service (di		ical Society)		
	latile Organic Compounds (l				
	rsistent, Bioaccumulative and				
	ery Persistent and very Bioac	avitativa			
Skin Cor					
	r. 1C: Skin corrosion/irritation	– Category 1C			
Skin Irrit	r. 1C: Skin corrosion/irritation . 2: Skin corrosion/irritation –	i – Category 1C Category 2			
Skin Irrit Eye Dan	r. 1C: Skin corrosion/irritation . 2: Skin corrosion/irritation – n. 1: Serious eye damage/ey	⊢ Category 1C Category 2 ∋ irritation – Category 1			
Skin Irrit Eye Dan Eye Irrit.	r. 1C: Skin corrosion/irritation 2: Skin corrosion/irritation – n. 1: Serious eye damage/ey 2: Serious eye damage/eye	i – Category 1C Category 2 e irritation – Category 1 rritation – Category 2			
Skin Irrit Eye Dan Eye Irrit. Repr. 1B	r. 1C: Skin corrosion/irritation 2: Skin corrosion/irritation – 1. 1: Serious eye damage/ey 2: Serious eye damage/eye 3: Reproductive toxicity – Cat	a – Category 1C Category 2 e irritation – Category 1 rritation – Category 2 egory 1B			
Skin Irrit Eye Dan Eye Irrit. Repr. 1B Repr. 1B	r. 1C: Skin corrosion/irritation 2: Skin corrosion/irritation – n. 1: Serious eye damage/eye 2: Serious eye damage/eye 3: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat	a – Category 1C Category 2 e irritation – Category 1 rritation – Category 2 egory 1B egory 1B	uatic bazard - Catogo	ny 1	
Skin Irrit Eye Dan Eye Irrit. Repr. 1E Repr. 1E Aquatic /	r. 1C: Skin corrosion/irritation 2: Skin corrosion/irritation – n. 1: Serious eye damage/eye 2: Serious eye damage/eye 3: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat 4: Acute 1: Hazardous to the ac	a – Category 1C Category 2 e irritation – Category 1 rritation – Category 2 egory 1B egory 1B uatic environment - acute aq			
Skin Irrit Eye Dan Eye Irrit. Repr. 1E Repr. 1E Aquatic	r. 1C: Skin corrosion/irritation . 2: Skin corrosion/irritation – 1. 1: Serious eye damage/eye 2: Serious eye damage/eye 3: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat Acute 1: Hazardous to the ac Chronic 1: Hazardous to the	a – Category 1C Category 2 a irritation – Category 1 rritation – Category 2 egory 1B egory 1B uatic environment - acute aq aquatic environment - long-te	erm aquatic hazard – C	Category 1	
Skin Irrit Eye Dan Eye Irrit. Repr. 1B Repr. 1B Aquatic (Aquatic (r. 1C: Skin corrosion/irritation . 2: Skin corrosion/irritation – 1. 1: Serious eye damage/eye 2: Serious eye damage/eye 3: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat Acute 1: Hazardous to the ac Chronic 1: Hazardous to the Chronic 3: Hazardous to the	a – Category 1C Category 2 a irritation – Category 1 rritation – Category 2 egory 1B egory 1B uatic environment - acute aq aquatic environment - long-te aquatic environment - long-te	erm aquatic hazard – C erm aquatic hazard – C	Category 1 Category 3	
Skin Irrit Eye Dan Eye Irrit. Repr. 1E Repr. 1E Aquatic Aquatic Aquatic	r. 1C: Skin corrosion/irritation . 2: Skin corrosion/irritation – 1. 1: Serious eye damage/eye 2: Serious eye damage/eye 3: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat 4: Reproductive toxicity – Cat Acute 1: Hazardous to the ac Chronic 1: Hazardous to the	 Category 1C Category 2 irritation – Category 1 irritation – Category 2 egory 1B uatic environment - acute aquatic environment - long-te aquatic environment - long-te aquatic environment - long-te aquatic environment - long-te 	erm aquatic hazard – C erm aquatic hazard – C	Category 1 Category 3	